



sonero



# Premium Series Video Cables & Adapters




## 4K High Speed HDMI Cable

HDMI Male > HDMI Male

- Gold Plated Contacts
- Metal Connector
- 4K - 60Hz

Item No.	Length
S-HC000-010	1.00 m
S-HC000-015	1.50 m
S-HC000-020	2.00 m
S-HC000-030	3.00 m
S-HC000-050	5.00 m
S-HC000-075	7.50 m
S-HC000-100	10.00 m



## 4K Active HDMI Cable

HDMI Male > HDMI Male

- Gold Plated Contacts
- Metal Connector
- 4K - 60 Hz

Item No.	Length
S-HC100-075	7.50 m
S-HC100-100	10.00 m
S-HC100-150	15.00 m
S-HC100-200	20.00 m



## 4K Mini HDMI Cable

HDMI Male > HDMI Mini Male

- Gold Plated Contacts
- Metal Connector
- 4K - 60 Hz

Item No.	Length
S-HC200-010	1.00 m
S-HC200-020	2.00 m
S-HC200-030	3.00 m



## 4K Micro HDMI Cable

HDMI Male > HDMI Micro Male

- Gold Plated Contacts
- Metal Connector
- 4K - 60Hz

Item No.	Length
S-HC300-010	1.00 m
S-HC300-020	2.00 m
S-HC300-030	3.00 m



## 4K High Speed HDMI Adapter

HDMI Male > HDMI Female

- Gold Plated Contacts
- Metal Connector
- 4K - 60 Hz

Item No.	Length
S-HCA000	0.25 m



## 4K High Speed HDMI Adapter

Micro HDMI Male > HDMI Female

- Gold Plated Contacts
- Metal Connector
- 4K - 60 Hz

Item No.	Length
S-HCA001	0.25 m



### 4K High Speed HDMI Adapter

Mini HDMI Male > HDMI Female

- Gold Plated Contacts
- Metal Connector
- 4K - 60Hz

Item No.	Length
S-HCA002	0.25 m



### 4K DisplayPort Cable

DP Male > DP Male

- Gold Plated Contacts
- Metal Connector
- 4K - 60Hz

Item No.	Length
S-DC000-010	1.00 m
S-DC000-015	1.50 m
S-DC000-020	2.00 m
S-DC000-030	3.00 m
S-DC000-050	5.00 m



### 4K DisplayPort / HDMI Cable

DP Male > HDMI Male

- Gold Plated Contacts
- Metal Connector
- 4K - 30Hz

Item No.	Length
S-DC100-010	1.00 m
S-DC100-015	1.50 m
S-DC100-020	2.00 m
S-DC100-030	3.00 m
S-DC100-050	5.00 m



### Dual Link DVI Cable

DVI-D Male > DVI-D Male

- Gold Plated Contacts
- Metal Connector
- WQXGA (2560x1600)

Item No.	Length
S-DC500-010	1.00 m
S-DC500-015	1.50 m
S-DC500-020	2.00 m
S-DC500-030	3.00 m
S-DC500-050	5.00 m
S-DC500-075	7.50 m
S-DC500-100	10.00 m



### Premium VGA Cable

VGA Male > VGA Male

- Gold Plated Contacts
- Metal Connector
- FullHD (1920x1080)

Item No.	Length
S-VC000-010	1.00 m
S-VC000-015	1.50 m
S-VC000-020	2.00 m
S-VC000-030	3.00 m
S-VC000-050	5.00 m
S-VC000-075	7.50 m
S-VC000-100	10.00 m
S-VC000-150	15.00 m

# Premium Series TV Cables



## Premium Antenna Cable

IEC (TV) Male > IEC (TV) Female

- Gold Plated Contacts
- Metal Connector
- Coaxial Cable Construction

Item No.	Length
S-AC000-010	1.00 m
S-AC000-015	1.50 m
S-AC000-020	2.00 m
S-AC000-030	3.00 m
S-AC000-050	5.00 m
S-AC000-075	7.50 m
S-AC000-100	10.00 m



## Premium SAT Cable

F (SAT) Male > F (SAT) Male

- Gold Plated Contacts
- Metal Connector
- Coaxial Cable Construction

Item No.	Length
S-SC000-010	1.00 m
S-SC000-015	1.50 m
S-SC000-020	2.00 m
S-SC000-030	3.00 m
S-SC000-050	5.00 m
S-SC000-075	7.50 m
S-SC000-100	10.00 m





### Premium Stereo Cable

3.5mm Male > 3.5mm Male

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC500-005	0.50 m
S-AC500-001	1.00 m
S-AC500-015	1.50 m
S-AC500-020	2.00 m
S-AC500-030	3.00 m
S-AC500-050	5.00 m
S-AC500-075	7.50 m
S-AC500-100	10.00 m
S-AC500-125	12.50 m
S-AC500-150	15.00 m
S-AC500-200	20.00 m



### Premium Stereo Cable

3.5mm Male > 3.5mm Male

- Gold Plated Contacts
- Metal Connector
- Nylon Braid

Item No.	Length
S-AC505-005	0.50 m
S-AC505-010	1.00 m
S-AC505-015	1.50 m
S-AC505-020	2.00 m
S-AC505-030	3.00 m
S-AC505-050	5.00 m



### Premium Stereo Cable

3.5mm Male > 3.5mm Male 90°

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC510-005	0.50 m
S-AC510-010	1.00 m
S-AC510-015	1.50 m
S-AC510-020	2.00 m
S-AC510-030	3.00 m
S-AC510-050	5.00 m



### Premium Stereo Cable

3.5mm Male 90° > 3.5mm Male 90°

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC520-005	0.50 m
S-AC520-010	1.00 m
S-AC520-015	1.50 m
S-AC520-020	2.00 m
S-AC520-030	3.00 m
S-AC520-050	5.00 m



### Premium Stereo Extension

3.5 mm Male > 3.5 mm Male

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length	Item No.	Length
S-AC550-005	0.50 m	S-AC550-075	7.50 m
S-AC550-010	1.00 m	S-AC550-100	10.00 m
S-AC550-015	1.50 m	S-AC550-150	15.00 m
S-AC550-020	2.00 m	S-AC550-200	20.00 m
S-AC550-030	3.00 m		
S-AC550-050	5.00 m		



## Premium Stereo Cable

2 x RCA Male > 3.5 mm Male

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC600-005	0.50 m
S-AC600-001	1.00 m
S-AC600-015	1.50 m
S-AC600-020	2.00 m
S-AC600-030	3.00 m
S-AC600-050	5.00 m
S-AC600-075	7.50 m
S-AC600-100	10.00 m
S-AC600-125	12.50 m
S-AC600-150	15.00 m



## Premium Stereo Cable

2 x RCA Male > 2 x RCA Male

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC700-005	0.50 m
S-AC700-010	1.00 m
S-AC700-015	1.50 m
S-AC700-020	2.00 m
S-AC700-030	3.00 m
S-AC700-050	5.00 m
S-AC700-075	7.50 m
S-AC700-100	10.00 m
S-AC700-125	12.50 m
S-AC700-150	15.00 m



## Premium Stereo Extension

2x RCA Male > 2x RCA Female

- Gold Plated Contacts
- Metal Connector
- Stereo Audio

Item No.	Length
S-AC710-005	0.50 m
S-AC710-010	1.00 m
S-AC710-015	1.50 m
S-AC710-020	2.00 m
S-AC710-030	3.00 m
S-AC710-050	5.00 m
S-AC710-075	7.50 m
S-AC710-100	10.00 m
S-AC710-150	15.00 m



## Premium Audio Cable

RCA Male > RCA Male

- Gold Plated Contacts
- Metal Connector
- Digital Coax S/SPDIF

Item No.	Length
S-AC800-010	1.00 m
S-AC800-015	1.50 m
S-AC800-020	2.00 m
S-AC800-030	3.00 m
S-AC800-050	5.00 m
S-AC800-075	7.50 m
S-AC800-100	10.00 m



## Premium Subwoofer Cable

RCA Male > 2x RCA Male

- Gold Plated Contacts
- Metal Connector
- Subwoofer Y-Cable

Item No.	Length
S-AC900-010	1.00 m
S-AC900-015	1.50 m
S-AC900-020	2.00 m
S-AC900-030	3.00 m
S-AC900-050	5.00 m
S-AC900-075	7.50 m
S-AC900-100	10.00 m



●

### Premium Stereo Adapter

3.5 mm Male > 2 x RCA Female

- Gold Plated Contacts
- Metal Connector
- Stereo Y-Adapter

Item No.	Length
S-ACA003	0.25 m



●

### Premium Stereo Adapter

2 x RCA > 3.5 mm Female

- Gold Plated Contacts
- Metal Connector
- Stereo Y-Adapter

Item No.	Length
S-ACA004	0.25 m



●

### Premium Subwoofer Adapter

RCA Male > 2 x RCA Female

- Gold Plated Contacts
- Metal Connector
- Subwoofer Y-Adapter

Item No.	Length
S-ACA010	0.25 m



●

### Premium Subwoofer Adapter

2 x RCA Male > RCA female

- Gold Plated Contacts
- Metal Connector
- Subwoofer Y-Adapter

Item No.	Length
S-ACA011	0.25 m



○

### Premium Stereo Splitter

3.5mm Male > 2x 3.5mm Female

- Gold Plated Contacts
- Metal Connector
- Stereo Y-Splitter

Item No.	Length
S-ACA012	0.25 m



●

### Premium Stereo Splitter

3.5mm Male > 2x 3.5mm Female

- Gold Plated Contacts
- Metal Connector
- Nylon Braid

Item No.	Length
S-ACA013	0.25 m



## Premium Headset Adapter

3.5mm 4pin Male >  
2x 3.5mm Female

- Gold Plated Contacts
- Metal Connector
- Headset Y-Adapter

Item No.	Length
S-ACA001	0.25 m



## Premium Headset Adapter

2x 3.5mm Male >  
3.5mm 4pin Female

- Gold Plated Contacts
- Metal Connector
- Headset Y-Adapter

Item No.	Length
S-ACA002	0.25 m



## Premium Headphones Adapter

3.5mm Male > 6.3mm Female

- Gold Plated Contacts
- Metal Connector
- Small/Large Jack Adapter

Item No.	Length
S-ACA005	0.25 m



## Premium Headphones Adapter

6.3mm Male > 3.5mm Female

- Gold Plated Contacts
- Metal Connector
- Large/Small Jack Adapter

Item No.	Length
S-ACA006	0.25 m



### Premium Optical Audio Cable

Toslink Male > Toslink Male

- Gold Plated Plug Tip
- Metal / Plastic Assembly
- S/PDIF Optical / Toslink

Item No.	Length
S-OC100-005	0.50 m
S-OC100-010	1.00 m
S-OC100-015	1.50 m
S-OC100-020	2.00 m
S-OC100-030	3.00 m
S-OC100-050	5.00 m
S-OC100-075	7.50 m
S-OC100-100	10.00 m
S-OC100-150	15.00 m
S-OC100-200	20.00 m



### Premium Optical Audio Cable

Toslink Male > Toslink Male 90°

- Gold Plated Plug Tip
- Metal / Plastic Assembly
- S/PDIF Optical / Toslink

Item No.	Length
S-OC110-010	1.00 m
S-OC110-015	1.50 m
S-OC110-020	2.00 m
S-OC110-030	3.00 m
S-OC110-050	5.00 m
S-OC110-075	7.50 m
S-OC110-100	10.00 m
S-OC110-150	15.00 m
S-OC110-200	20.00 m



### Premium Optical Audio Cable

Toslink Male 90° > Toslink Male 90°

- Gold Plated Plug Tip
- Metal / Plastic Assembly
- S/PDIF Optical / Toslink

Item No.	Length
S-OC120-010	1.00 m
S-OC120-015	1.50 m
S-OC120-020	2.00 m
S-OC120-030	3.00 m
S-OC120-050	5.00 m
S-OC120-075	7.50 m
S-OC120-100	10.00 m
S-OC120-150	15.00 m
S-OC120-200	20.00 m



### Premium Optical Audio Splitter

Toslink Male > 2x Toslink Female

- Gold Plated Plug Tip
- Metal / Plastic Assembly
- S/PDIF Optical / Toslink

Item No.	Length
S-OCA001	0.15 m

# HDMI Series

## 8K & 4K HDMI Cables




### DisplayPort 1.2v Cable

DP Male > DP Male

- Max. Resolution 4K60Hz
- Gold Plated Contacts
- Triple Shielding

Item No.	Length
X-PDC010-010	1.00 m
X-PDC010-015	1.50 m
X-PDC010-018	1.80 m
X-PDC010-020	2.00 m
X-PDC010-030	3.00 m
X-PDC010-050	5.00 m



### DisplayPort 1.4v Cable

DP Male > DP Male

- Max. Resolution 8K60Hz
- Gold Plated Contacts
- Triple Shielding

Item No.	Length
X-PDC020-010	1.00 m
X-PDC020-015	1.50 m
X-PDC020-018	1.80 m
X-PDC020-020	2.00 m
X-PDC020-030	3.00 m
X-PDC020-050	5.00 m



### Premium High Speed HDMI Portsaver Adapter

HDMI A Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding

Item No.	Length
X-PHA010-0015	0.15 m



### Premium High Speed HDMI Portsaver Adapter

HDMI A Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding, Nylon Braid

Item No.	Length
X-PHA011-0015	0.15 m



### Premium High Speed Mini HDMI to HDMI Adapter

HDMI C Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding

Item No.	Length
X-PHA020-0015	0.15 m



**Premium High Speed Mini HDMI to HDMI Adapter**  
HDMI C Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding, Nylon Braid

Item No.	Length
X-PHA021-0015	0.15 m



**Premium High Speed Micro HDMI to HDMI Adapter**  
HDMI D Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding

Item No.	Length
X-PHA030-0015	0.15 m



**Premium High Speed Micro HDMI to HDMI Adapter**  
HDMI D Male > HDMI A Female

- 4K High Speed Cable
- Gold plated contacts
- Double Shielding, Nylon Braid

Item No.	Length
X-PHA031-0015	0.15 m



**Premium High Speed Mini HDMI to HDMI Cable**  
HDMI C Male > HDMI A Male

- 4K High Speed Cable
- Metal Connector
- Double Shielding

Item No.	Length
X-PHC020-005	0.50 m
X-PHC020-010	1.00 m
X-PHC020-015	1.50 m
X-PHC020-020	2.00 m
X-PHC020-030	3.00 m



**Premium High Speed Mini HDMI to HDMI Cable**  
HDMI C Male > HDMI A Male

- 4K High Speed Cable
- Metal Connector
- Double Shielding, Nylon Braid

Item No.	Length
X-PHC021-005	0.50 m
X-PHC021-010	1.00 m
X-PHC021-015	1.50 m
X-PHC021-020	2.00 m
X-PHC021-030	3.00 m



**Premium High Speed Micro HDMI to HDMI Cable**  
HDMI D Male > HDMI A Male

- 4K High Speed Cable
- Metal Connector
- Double Shielding

Item No.	Length
X-PHC030-005	0.50 m
X-PHC030-010	1.00 m
X-PHC030-015	1.50 m
X-PHC030-020	2.00 m
X-PHC030-030	3.00 m

# HDMI Series

## 8K & 4K HDMI Cables



### Premium High Speed Micro HDMI to HDMI Cable

HDMI D Male > HDMI A Male

- 4K High Speed Cable
- Metal Connector
- Double Shielding, Nylon Braid

Item No.	Length
X-PHC031-005	0.50 m
X-PHC031-010	1.00 m
X-PHC031-015	1.50 m
X-PHC031-020	2.00 m
X-PHC031-030	3.00 m



### Premium High Speed HDMI Extension Cable

HDMI A Male > HDMI A Female

- 4K High Speed Cable
- Metal Connector
- Double Shielding

Item No.	Length
X-PHC040-005	0.50 m
X-PHC040-010	1.00 m
X-PHC040-015	1.50 m
X-PHC040-020	2.00 m
X-PHC040-030	3.00 m




### Premium High Speed HDMI Extension Cable

HDMI A Male > HDMI A Female

- 4K High Speed Cable
- Metal Connector
- Double Shielding, Nylon Braid

Item No.	Length
X-PHC041-005	0.50 m
X-PHC041-010	1.00 m
X-PHC041-015	1.50 m
X-PHC041-020	2.00 m
X-PHC041-030	3.00 m



### 8K Ultra High Speed HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.1 / 8K 60Hz / 48Gbps
- Gold Plated Contacts
- Triple Shielding

Item No.	Length
X-PHC110-005	0.50 m
X-PHC110-010	1.00 m
X-PHC110-015	1.50 m
X-PHC110-020	2.00 m
X-PHC110-030	3.00 m
X-PHC110-050	5.00 m




### 8K Ultra High Speed HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.1 / 8K 60Hz / 48Gbps
- Gold Plated Contacts
- Triple Shielding, Nylon Braid

Item No.	Length
X-PHC111-005	0.50 m
X-PHC111-010	1.00 m
X-PHC111-015	1.50 m
X-PHC111-020	2.00 m
X-PHC111-030	3.00 m
X-PHC111-050	5.00 m



### 4K Premium High Speed HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.0b / 4K 60Hz / 18Gbps
- Gold Plated Contacts
- Triple Shielding

Item No.	Length
X-PHC000-005	0.50 m
X-PHC000-010	1.00 m
X-PHC000-015	1.50 m
X-PHC000-020	2.00 m
X-PHC000-030	3.00 m
X-PHC000-050	5.00 m



### 4K Premium High Speed HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.0b / 4K 60Hz / 18Gbps
- Gold Plated Contacts
- Triple Shielding

Item No.	Length
X-PHC010-005	0.50 m
X-PHC010-010	1.00 m
X-PHC010-015	1.50 m
X-PHC010-020	2.00 m
X-PHC010-030	3.00 m
X-PHC010-050	5.00 m



### 4K Premium High Speed HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.0b / 4K 60Hz / 18Gbps
- Gold Plated Contacts
- Triple Shielding, Nylon Braid

Item No.	Length
X-PHC011-005	0.50 m
X-PHC011-010	1.00 m
X-PHC011-015	1.50 m
X-PHC011-020	2.00 m
X-PHC011-030	3.00 m
X-PHC011-050	5.00 m

**24k Vergoldeter Stecker**  
24k Gold-Plated Connector


**Geschirmtes Vollmetall Gehäuse**  
Shielded All-Metal Housing

**Dreifach geschirmtes Kabel**  
Triple-Shielded Cable

**Flexibler Nylon Mantel**  
Flexible Nylon Jacket

# AOC Series

## 8K & 4K AOC Cables




### 4K AOC HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.0b / 4K 60Hz / 18Gbps
- AOC Technology (Active Optical Cable)
- Copper / Fiber Hybrid Cable

Item No.	Length
X-AOC210-100	10.00 m
X-AOC210-150	15.00 m
X-AOC210-200	20.00 m
X-AOC210-250	25.00 m
X-AOC210-300	30.00 m
X-AOC210-400	40.00 m
X-AOC210-500	50.00 m




### 8K AOC HDMI Cable

HDMI Male > HDMI Male

- HDMI 2.1 / 8K 60Hz / 48Gbps
- AOC Technology (Active Optical Cable)
- Copper / Fiber Hybrid Cable

Item No.	Length
X-AOC250-100	10.00 m
X-AOC250-150	15.00 m
X-AOC250-200	20.00 m
X-AOC250-250	25.00 m
X-AOC250-300	30.00 m
X-AOC250-400	40.00 m
X-AOC250-500	50.00 m



### 8K AOC DisplayPort Cable

DP Male > DP Male

- DisplayPort 1.4 / 8K 60Hz / 32.4Gbps
- AOC Technology (Active Optical Cable)
- Copper / Fiber Hybrid Cable

Item No.	Length
X-AOC350-100	10.00 m
X-AOC350-150	15.00 m
X-AOC350-200	20.00 m
X-AOC350-250	25.00 m
X-AOC350-300	30.00 m
X-AOC350-400	40.00 m
X-AOC350-500	50.00 m





### Premium 4K DisplayPort Cable

DisplayPort > DisplayPort

- Up to 4K60Hz video resolution
- Ultra High Definition
- Metal Connector

Item No.	Length
SPC-DP100-010	1.00 m
SPC-DP100-020	2.00 m
SPC-DP100-030	3.00 m



### Premium 8K DisplayPort Cable

DisplayPort > DisplayPort

- Up to 8K60Hz video resolution
- Ultra High Definition
- Metal Connector, Nylon Braid

Item No.	Length
SPC-DP110-010	1.00 m
SPC-DP110-020	2.00 m
SPC-DP110-030	3.00 m




### Premium 4K DisplayPort Adapter

DisplayPort > HDMI

- Up to 4K60Hz video resolution
- Ultra High Definition
- Metal Connector

Item No.	Length
SPC-DP200-002	0.10 m
SPC-DP200-010	1.00 m
SPC-DP200-020	2.00 m
SPC-DP200-030	3.00 m



### Premium 4K HDMI Cable

HDMI > HDMI

- Up to 4K60Hz video resolution
- Ultra High Definition
- Metal Connector

Item No.	Length
SPC-HD100-010	1.00 m
SPC-HD100-020	2.00 m
SPC-HD100-030	3.00 m



### Premium 8K HDMI Cable

HDMI > HDMI

- Up to 8K60Hz video resolution
- Ultra High Definition
- Metal Connector, Nylon Braid

Item No.	Length
SPC-HD110-010	1.00 m
SPC-HD110-020	2.00 m
SPC-HD110-030	3.00 m



### USB 2.0 Cable

USB A Male > USB B Male

- USB 2.0 connection cable for printer & scanner
- Aluminum connector & cotton braid jacket
- Plug & Play

Item No.	Length
SPC-U010-005	0.50 m
SPC-U010-010	1.00 m
SPC-U010-015	1.50 m
SPC-U010-020	2.00 m
SPC-U010-030	3.00 m
SPC-U010-050	5.00 m




### USB 2.0 Cable

USB C Male > USB B Male

- USB 2.0 connection cable for printer & scanner
- Aluminum connector & cotton braid jacket
- Plug & Play

Item No.	Length
SPC-U020-005	0.50 m
SPC-U020-010	1.00 m
SPC-U020-015	1.50 m
SPC-U020-020	2.00 m
SPC-U020-030	3.00 m
SPC-U020-050	5.00 m



### USB 3.0 Cable

USB A Male > USB A Male

- 5Gbps data transfer rate
- Aluminum connector & cotton braid jacket
- Plug & Play

Item No.	Length
SPC-U050-005	0.50 m
SPC-U050-010	1.00 m
SPC-U050-015	1.50 m
SPC-U050-020	2.00 m
SPC-U050-030	3.00 m



### USB 3.0 Extension Cable

USB A Male > USB A Female

- 5Gbps data transfer rate
- Aluminum connector & cotton braid jacket
- Plug & Play

Item No.	Length
SPC-U055-005	0.50 m
SPC-U055-010	1.00 m
SPC-U055-015	1.50 m
SPC-U055-020	2.00 m
SPC-U055-030	3.00 m



### USB Charge & Sync Cable

USB-C > USB-A

- Super Fast Charge
- Up to 5A/5V charging
- 480 mbps data transfer rate

Item No.	Length
SPC-U110-002	0.25 m
SPC-U110-005	0.50 m
SPC-U110-010	1.00 m
SPC-U110-015	1.50 m
SPC-U110-020	2.00 m



### USB Charge & Sync Cable

USB-C > USB-C

- 60W Power Delivery
- 480 mbps data transfer rate
- Plug & Play

Item No.	Length
SPC-U200-005	0.50 m
SPC-U200-010	1.00 m
SPC-U200-015	1.50 m
SPC-U200-020	2.00 m
SPC-U200-030	3.00 m



●

### USB Charge & Sync Cable

USB-C > USB-C

- 100W Power Delivery
- 480 mbps data transfer rate
- Plug & Play

Item No.	Length
SPC-U210-005	0.50 m
SPC-U210-010	1.00 m
SPC-U210-015	1.50 m
SPC-U210-020	2.00 m
SPC-U210-030	3.00 m



○

### USB Charge & Sync Cable

USB-C > USB-C

- 60W Power Delivery
- 480 mbps data transfer rate
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-U300-005	0.50 m
SPC-U300-010	1.00 m
SPC-U300-015	1.50 m
SPC-U300-020	2.00 m
SPC-U300-030	3.00 m



○

### USB Charge & Sync Cable

USB-C > USB-C

- 100W Power Delivery
- 480 mbps data transfer rate
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-U310-005	0.50 m
SPC-U310-010	1.00 m
SPC-U310-015	1.50 m
SPC-U310-020	2.00 m
SPC-U310-030	3.00 m



○

### USB 3.2 Gen 1 Cable

USB-C > USB-C

- Up to 4K60Hz with DP Alt Mode
- 60W Power Delivery
- 5Gbps data transfer rate

Item No.	Length
SPC-U320-005	0.50 m
SPC-U320-010	1.00 m



○

### USB 3.2 Gen 2 Cable

USB-C > USB-C

- Up to 4K60Hz with DP Alt Mode
- 100W Power Delivery
- 10Gbps data transfer rate

Item No.	Length
SPC-U330-010	1.00 m



○

### 4K USB-C to HDMI Cable

USB-C > HDMI

- Up to 4K60Hz video resolution
- 18Gbps bandwidth
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-V100-010	1.00 m
SPC-V100-020	2.00 m



### 4K USB-C to DisplayPort Adapter

USB-C > DisplayPort

- Up to 4K60Hz video resolution
- 21.6Gbps bandwidth
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-V110-002	0.10 m



### 4K USB-C to DisplayPort Cable

USB-C > DisplayPort

- Up to 4K60Hz video resolution
- 21.6Gbps bandwidth
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-V200-010	1.00 m
SPC-V200-020	2.00 m



### 4K USB-C to HDMI Adapter

USB-C > HDMI

- Up to 4K60Hz video resolution
- 18Gbps bandwidth
- Aluminum connector & cotton braid jacket

Item No.	Length
SPC-V210-002	0.10 m



### USB 2.0 Cable

USB-A Male > USB-B Male

- Data transfer up to 480 Mbit/s
- Backwards compatible with USB 1.1
- Plug & Play

Item No.	Length
S-XU2000-005	0.50 m
S-XU2000-010	1.00 m
S-XU2000-015	1.50 m
S-XU2000-020	2.00 m
S-XU2000-030	3.00 m



### Active USB-A / USB-B Cable

USB-A Male > USB-B Male

- Gold Plated Contacts
- Hi-Speed USB 2.0 – 480 mbps
- Power via USB. no PSU

Item No.	Length
S-XU2000-050	5.00 m
S-XU2000-100	10.00 m
S-XU2000-150	15.00 m
S-XU2000-200	20.00 m



### Active USB-A Extension

USB-A Male > USB-A Female

- Gold Plated Contacts
- Hi-Speed USB 2.0 – 480 mbps
- With DC Power Input

Item No.	Length
S-XU2100-050	5.00 m
S-XU2100-100	10.00 m
S-XU2100-150	15.00 m
S-XU2100-200	20.00 m



### Active USB-A Extension

USB-A Male > USB-A Female

- Gold Plated Contacts
- USB 3.2 (Gen 1x1) – 5Gbps
- Power via USB. no PSU

Item No.	Length
S-XU3000-050	5.00 m
S-XU3000-100	10.00 m



### Active USB-C Extension

USB-C Male > USB-C Female

- Gold Plated Contacts
- USB 3.2 (Gen 1x1) – 5Gbps
- 5m: No PSU / 10.00 m: Incl. DC Cable

Item No.	Length
S-XU3010-050	5.00 m
S-XU3010-100	10.00 m



### Active USB-C / USB-A Extension

USB-C Male > USB-A Female

- Gold Plated Contacts
- USB 3.2 (Gen 1x1) – 5Gbps
- 5m: No PSU / 10.00 m: Incl. DC Cable

Item No.	Length
S-XU3020-050	5.00 m
S-XU3020-100	10.00 m



### Active USB-A / USB-C Extension

USB-A Male > USB-C Female

- Gold Plated Contacts
- USB 3.2 (Gen 1x1) – 5Gbps
- 5m: No PSU / 10.00 m: Incl. DC Cable

Item No.	Length
S-XU3030-050	5.00 m
S-XU3030-100	10.00 m



### USB OTG Adapter

Micro USB Male > USB-C Female

- ABS Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 5V / 0.9A / 4.5W

**Item No.**

X-UA120



### USB OTG Adapter

Micro USB Male > USB-C Female

- ABS Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 5V / 0.9A / 4.5W

**Item No.**

X-UA121



### USB 2.0 Ethernet Adapter

USB-A Male > RJ45 Female

- USB-A Male to RJ45 Female
- Plug & Play without installation
- USB 2.0 with 10/100 Mbit/s transfer rate

**Item No.**

X-UA300

**Length**

0.20 m



### USB 2.0 Ethernet Adapter

USB-A Male > RJ45 Female

- USB-A Male to RJ45 Female
- Plug & Play without installation
- USB 2.0 with 10/100 Mbit/s transfer rate

**Item No.**

X-UA301

**Length**

0.20 m



### USB 3.0 Ethernet Adapter

USB-A Male > RJ45 Female

- USB-A Male to RJ45 Female
- Plug & Play without installation
- USB 3.0 with 10/100 Mbit/s transfer rate

**Item No.**

X-UA310

**Length**

0.20 m



### USB 3.0 Ethernet Adapter

USB-A Male > RJ45 Female

- USB-A Male to RJ45 Female
- Plug & Play without installation
- USB 3.0 with 10/100 Mbit/s transfer rate

**Item No.**

X-UA311

**Length**

0.20 m



### USB-C Adapter

USB-C Male 90° angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA134



### USB-C Adapter

USB-C Male 90° angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA135



### USB-C Adapter

USB-C Male 90° angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA130



### USB-C Adapter

USB-C Male 90° angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA131



### USB-C Adapter

USB-C Male 90° left angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA132



### USB-C Adapter

USB-C Male 90° left angled > USB-C Female

- Data transfer rate up to 40Gbps
- Power Delivery up to 240W 48V/5A
- DP alt mode up to 8K60

**Item No.**

X-UA133



### USB 3.0 Ethernet Adapter

USB-C Male > RJ45 Female

- USB-C Male to RJ45 Female
- Plug & Play without installation
- USB 3.0 with 10/100 Mbit/s transfer rate

Item No.	Length
X-UA320	0.20 m



### USB 3.0 Ethernet Adapter

USB-C Male > RJ45 Female

- USB-C Male to RJ45 Female
- Plug & Play without installation
- USB 3.0 with 10/100 Mbit/s transfer rate

Item No.	Length
X-UA321	0.20 m




### USB-C / USB-A Adapter

USB C Male > USB-A Female

- Aluminium Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 5V / 0.9A / 4.5W

Item No.
X-UA100



### USB-C / USB-A Adapter

USB C Male > USB-A Female

- ABS Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 5V / 0.9A / 4.5W

Item No.
X-UA101



### USB-C / USB-A Adapter

USB C Male > USB-A Female

- ABS Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 5V / 0.9A / 4.5W

**Item No.**

X-UA102



### USB-C / Micro USB Adapter

USB-C Male > Micro USB Female

- Aluminium Housing
- Hi-Speed USB 2.0 – 480 mbps
- 5V / 0.5A / 2.5W

**Item No.**

X-UA110



### USB-C / Micro USB Adapter

USB-C Male > Micro USB Female

- ABS Housing
- Hi-Speed USB 2.0 – 480 mbps
- 5V / 0.5A / 2.5W

**Item No.**

X-UA111



### USB-C / Micro USB Adapter

USB-C Male > Micro USB Female

- ABS Housing
- Hi-Speed USB 2.0 – 480 mbps
- 5V / 0.5A / 2.5W

**Item No.**

X-UA112





### 4-Port USB 3.2 (Gen 1x1) Hub

USB-A Male > 4x USB-A Female

- Aluminium Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 3x USB 2.0. 1x USB 3.2

Item No.	Length
S-UH100-001	0.15 m
S-UH100-005	0.50 m
S-UH100-010	1.00 m



### 4-Port USB 3.2 (Gen 1x1) Hub

USB-C Male > 4x USB-A Female

- Aluminium Housing
- USB 3.2 (Gen 1x1) – 5Gbps
- 3x USB 2.0. 1x USB 3.2

Item No.	Length
S-UH110-001	0.15 m
S-UH110-005	0.50 m
S-UH110-010	1.00 m





●

### 4K HDMI EDID Emulator

HDMI Male > HDMI Female

- HDMI 2.0 / 4K 60Hz / 18Gbps
- EDID Simulation / Emulation
- Plug&Play

**Item No.**

---

X-AVT105

---



●

### 4K HDMI Signal-Tester

HDMI Male > Micro USB Female

- HDMI 2.0 / 4K 60Hz / 18Gbps
- LCD Display
- HDCP 2.2 Compliant

**Item No.**

---

X-AVT110

---



●

### 4K HDMI Audio Extractor

HDMI Male > HDMI/  
Toslink/ Stereo Female

- HDMI 2.0 / 4K 60Hz / 18Gbps
- Analog and Digital Audio Extraction
- 10cm Pigtail

**Item No.**

---

X-AVT115

---

**Length**

---

0.10 m

---



●

### 4K HDMI / USB Capture Dongle

HDMI Male > USB-A Male


- HDMI 1.4 / 4K 30Hz / 10.2Gbps
- HDMI to USB v2.0
- H.264 Codec

**Item No.**

---

X-AVT200

---



●

### USB-C Audio Converter

USB-C > Stereo Audio + USB-C PD

- Digital USB-C to 3.5mm Stereo Audio
- USB Power Delivery 2.0
- USB Audio Class 1.0 / 2.0 Compliant

Item No.	Length
X-UA200	0.15 m



●

### USB-C Audio Converter

USB-C > USB-C Audio + USB-C PD

- Digital USB-C to USB-C Audio
- USB Power Delivery 2.0 (max. 12V, 100W)
- 16bit DAC/ADC for Headphone / Mic

Item No.	Length
X-UA210	0.15 m



●

### Analog to Digital (ADC) Audio Converter

Stereo RCA > S/PDIF

- 2ch LPCM Input
- S/PDIF Optical & Coax Output
- 48kHz Sample Rate

Item No.
X-AC000



●

### Digital to Analog (DAC) Audio Converter

S/PDIF > Stereo RCA

- S/PDIF Optical & Coax Input
- 2ch LPCM Output
- 48kHz Sample Rate

Item No.
X-AC010



### Antenna Cable

IEC (TV) Male > IEC (TV) Female

- Gold Plated Contacts
- 2x Ferrite Filter
- Coax Cable. Ø6.00 mm

Item No.	Length
X-ATVC010-010	1.00 m
X-ATVC010-020	2.00 m
X-ATVC010-030	3.00 m
X-ATVC010-050	5.00 m
X-ATVC010-075	7.50 m
X-ATVC010-100	10.00 m
X-ATVC010-150	15.00 m
X-ATVC010-200	20.00 m

### Sat Cable

F (Sat) Male > F (Sat) Male

- Gold Plated Contacts
- Triple Shielding
- Coax Cable. Ø6.00 mm

Item No.	Length
X-SATC010-010	1.00 m
X-SATC010-020	2.00 m
X-SATC010-030	3.00 m
X-SATC010-050	5.00 m
X-SATC010-075	7.50 m
X-SATC010-100	10.00 m
X-SATC010-150	15.00 m
X-SATC010-200	20.00 m



### Sat Cable

F (Sat) Male > F (Sat) Male

- Excellent for digital TV signal transmission
- Ferrite filter for best noise suppression
- F-connector with 6 mm cable diameter

Item No.	Length
X-SATC020-010	1.00 m
X-SATC020-020	2.00 m
X-SATC020-030	3.00 m
X-SATC020-050	5.00 m
X-SATC020-075	7.50 m
X-SATC020-100	10.00 m
X-SATC020-150	15.00 m
X-SATC020-200	20.00 m

# Speaker Series

## Speaker Cables



### Speaker Cable

- 2x 0.75 mm<sup>2</sup>
- Transparent / Red
- CCA


Item No.	Length
S-SC2075T-10	10.00 m
S-SC2075T-20	20.00 m
S-SC2075T-25	25.00 m
S-SC2075T-30	30.00 m
S-SC2075T-50	50.00 m
S-SC2075T-100	100.00 m



### Speaker Cable

- 2x 0.75 mm<sup>2</sup>
- White
- CCA

Item No.	Length
S-SC2075W-10	10.00 m
S-SC2075W-20	20.00 m
S-SC2075W-25	25.00 m
S-SC2075W-30	30.00 m
S-SC2075W-50	50.00 m
S-SC2075W-100	100.00 m



### Speaker Cable

- 2x 0.75 mm<sup>2</sup>
- Black / Red
- CCA

Item No.	Length
S-SC2075RB-10	10.00 m
S-SC2075RB-20	20.00 m
S-SC2075RB-25	25.00 m
S-SC2075RB-30	30.00 m
S-SC2075RB-50	50.00 m
S-SC2075RB-100	100.00 m



### Speaker Cable

- 2x 1.50 mm<sup>2</sup>
- Transparent / Red
- CCA


Item No.	Length
S-SC2150T-10	10.00 m
S-SC2150T-20	20.00 m
S-SC2150T-25	25.00 m
S-SC2150T-30	30.00 m
S-SC2150T-50	50.00 m
S-SC2150T-100	100.00 m



### Speaker Cable

- 2x 1.50 mm<sup>2</sup>
- White
- CCA

Item No.	Length
S-SC2150W-10	10.00 m
S-SC2150W-20	20.00 m
S-SC2150W-25	25.00 m
S-SC2150W-30	30.00 m
S-SC2150W-50	50.00 m
S-SC2150W-100	100.00 m



### Speaker Cable

- 2x 1.50 mm<sup>2</sup>
- Black / Red
- CCA

Item No.	Length
S-SC2150RB-10	10.00 m
S-SC2150RB-20	20.00 m
S-SC2150RB-25	25.00 m
S-SC2150RB-30	30.00 m
S-SC2150RB-50	50.00 m
S-SC2150RB-100	100.00 m



### Speaker Cable

- 2x 2.50 mm<sup>2</sup>
- Transparent / Red
- CCA

Item No.	Length
S-SC2250T-10	10.00 m
S-SC2250T-20	20.00 m
S-SC2250T-25	25.00 m
S-SC2250T-30	30.00 m
S-SC2250T-50	50.00 m
S-SC2250T-100	100.00 m



### Speaker Cable

- 2x 2.50 mm<sup>2</sup>
- White
- CCA

Item No.	Length
S-SC2250W-10	10.00 m
S-SC2250W-20	20.00 m
S-SC2250W-25	25.00 m
S-SC2250W-30	30.00 m
S-SC2250W-50	50.00 m
S-SC2250W-100	100.00 m



### Speaker Cable

- 2x 2.50 mm<sup>2</sup>
- Black / Red
- CCA

Item No.	Length
S-SC2250RB-10	10.00 m
S-SC2250RB-20	20.00 m
S-SC2250RB-25	25.00 m
S-SC2250RB-30	30.00 m
S-SC2250RB-50	50.00 m
S-SC2250RB-100	100.00 m



### Speaker Cable

- 2x 4.00 mm<sup>2</sup>
- Transparent / Red
- CCA


Item No.	Length
S-SC2400T-10	10.00 m
S-SC2400T-20	20.00 m
S-SC2400T-25	25.00 m
S-SC2400T-30	30.00 m
S-SC2400T-50	50.00 m
S-SC2400T-100	100.00 m



### Speaker Cable

- 2x 4.00 mm<sup>2</sup>
- White
- CCA

Item No.	Length
S-SC2400W-10	10.00 m
S-SC2400W-20	20.00 m
S-SC2400W-25	25.00 m
S-SC2400W-30	30.00 m
S-SC2400W-50	50.00 m
S-SC2400W-100	100.00 m



### Speaker Cable

- 2x 4.00 mm<sup>2</sup>
- Black / Red
- CCA

Item No.	Length
S-SC2400RB-10	10.00 m
S-SC2400RB-20	20.00 m
S-SC2400RB-25	25.00 m
S-SC2400RB-30	30.00 m
S-SC2400RB-50	50.00 m
S-SC2400RB-100	100.00 m



### Banana Plug Set

- 0.75mm<sup>2</sup> - 6mm<sup>2</sup>
- Gold Plated Contacts
- Screwable Metal Plugs

Item No.	Quantity
S-SC000-04	4 pcs
S-SC000-08	8 pcs
S-SC000-16	16 pcs
S-SC000-24	24 pcs



### Banana Plug Set

- 0.75mm<sup>2</sup> - 6mm<sup>2</sup>, Angled 90°
- Gold Plated Contacts
- Screwable Metal Plugs

Item No.	Quantity
S-SC090-04	4 pcs
S-SC090-08	8 pcs



**Powercord - IEC Extension**  
IEC C14 plug > IEC C13 socket

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use


Item No.	Length
X-C13P-C13F-010B	1.00 m
X-C13P-C13F-020B	2.00 m
X-C13P-C13F-030B	3.00 m
X-C13P-C13F-050B	5.00 m



**Powercord**  
Euro plug > IEC socket (C7)  
straight

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESG-C7G-010B	1.00 m
X-ESG-C7G-015B	1.50 m
X-ESG-C7G-020B	2.00 m
X-ESG-C7G-030B	3.00 m
X-ESG-C7G-050B	5.00 m



**Powercord**  
Euro plug > IEC socket (C7)  
straight

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESG-C7G-010W	1.00 m
X-ESG-C7G-015W	1.50 m
X-ESG-C7G-020W	2.00 m
X-ESG-C7G-030W	3.00 m
X-ESG-C7G-050W	5.00 m



**Powercord**  
Euro plug > IEC socket (C7) 90°

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use


Item No.	Length
X-ESG-C7W-010B	1.00 m
X-ESG-C7W-015B	1.50 m
X-ESG-C7W-020B	2.00 m
X-ESG-C7W-030B	3.00 m
X-ESG-C7W-050B	5.00 m



**Powercord**  
Euro plug > IEC socket (C7) 90°

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESG-C7W-010W	1.00 m
X-ESG-C7W-015W	1.50 m
X-ESG-C7W-020W	2.00 m
X-ESG-C7W-030W	3.00 m
X-ESG-C7W-050W	5.00 m



**Powercord Extension**  
Euro plug > Euro socket

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESG-ESB-010B	1.00 m
X-ESG-ESB-020B	2.00 m
X-ESG-ESB-030B	3.00 m
X-ESG-ESB-050B	5.00 m
X-ESG-ESB-100B	10.00 m



○

### Powercord Extension

Euro plug > Euro socket

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESG-ESB-010W	1.00 m
X-ESG-ESB-020W	2.00 m
X-ESG-ESB-030W	3.00 m
X-ESG-ESB-050W	5.00 m
X-ESG-ESB-100W	10.00 m



●

### Powercord

Euro plug 90° > IEC socket (C7)  
90°

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESW-C7W-005B	0.50 m
X-ESW-C7W-010B	1.00 m
X-ESW-C7W-015B	1.50 m
X-ESW-C7W-020B	2.00 m
X-ESW-C7W-030B	3.00 m
X-ESW-C7W-050B	5.00 m



○

### Powercord

Euro plug 90° > IEC socket (C7)  
90°

- H03VVH2-F 2x0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-ESW-C7W-005W	0.50 m
X-ESW-C7W-010W	1.00 m
X-ESW-C7W-015W	1.50 m
X-ESW-C7W-020W	2.00 m
X-ESW-C7W-030W	3.00 m
X-ESW-C7W-050W	5.00 m




●

### Powercord

Safety plug 90° > IEC socket (C13)

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use

Item No.	Length
X-SKW-C13G-010B	1.00 m
X-SKW-C13G-020B	2.00 m
X-SKW-C13G-030B	3.00 m
X-SKW-C13G-050B	5.00 m
X-SKW-C13G-075B	7.50 m
X-SKW-C13G-100B	10.00 m
X-SKW-C13G-150B	15.00 m
X-SKW-C13G-200B	20.00 m



○

### Powercord

Safety plug 90° > IEC socket (C13)

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use

Item No.	Length
X-SKW-C13G-010W	1.00 m
X-SKW-C13G-020W	2.00 m
X-SKW-C13G-030W	3.00 m
X-SKW-C13G-050W	5.00 m
X-SKW-C13G-075W	7.50 m
X-SKW-C13G-100W	10.00 m
X-SKW-C13G-150W	15.00 m
X-SKW-C13G-200W	20.00 m



●

### Powercord

Safety plug > IEC socket (C13)

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use

Item No.	Length
X-SKG-C13G-010B	1.00 m
X-SKG-C13G-020B	2.00 m
X-SKG-C13G-030B	3.00 m
X-SKG-C13G-050B	5.00 m




### Powercord

Safety plug 90° > IEC socket (C13) 90°

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use

Item No.	Length
X-SKW-C13W-010B	1.00 m
X-SKW-C13W-020B	2.00 m
X-SKW-C13W-030B	3.00 m
X-SKW-C13W-050B	5.00 m
X-SKW-C13W-100B	10.00 m



### Powercord

Safety plug 90° > IEC socket (C13) 90°

- H05VV-F 3G0,75
- 250V / 10A
- For indoor use

Item No.	Length
X-SKW-C13W-010W	1.00 m
X-SKW-C13W-020W	2.00 m
X-SKW-C13W-030W	3.00 m
X-SKW-C13W-050W	5.00 m
X-SKW-C13W-100W	10.00 m



### Powercord

Safety plug 90° > IEC socket (C5)

- H05VV-F 3G0,75
- 250V / 2.5A
- For indoor use

Item No.	Length
X-SKW-C5G-010B	1.00 m
X-SKW-C5G-015B	1.50 m
X-SKW-C5G-020B	2.00 m
X-SKW-C5G-030B	3.00 m



### Powercord

Safety plug 90° to socket

- H05VV-F 3G1,50
- 250V / 16A
- For indoor use

Item No.	Length
X-STW-SBG-020B	2.00 m
X-STW-SBG-030B	3.00 m
X-STW-SBG-050B	5.00 m
X-STW-SBG-100B	10.00 m
X-STW-SBG-150B	15.00 m
X-STW-SBG-200B	20.00 m
X-STW-SBG-250B	25.00 m
X-STW-SBG-300B	30.00 m



### Powercord

Safety plug 90° to socket

- H05VV-F 3G1,50
- 250V / 16A
- For indoor use

Item No.	Length
X-STW-SWG-020W	2.00 m
X-STW-SWG-030W	3.00 m
X-STW-SWG-050W	5.00 m
X-STW-SWG-100W	10.00 m
X-STW-SWG-150W	15.00 m
X-STW-SWG-200W	20.00 m
X-STW-SWG-250W	25.00 m
X-STW-SWG-300W	30.00 m



### Infrared Motion Sensor

On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS010



### Infrared Motion Sensor

On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS011



### Infrared Motion Sensor

Ceiling Mounting

- Detection Angle 360°
- IP20 Protection
- Fixed Ceiling Mounting

**Item No.**

X-IMS020



### Infrared Motion Sensor

On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Tiltable and Rotatable

**Item No.**

X-IMS030



### Infrared Motion Sensor

On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS040



### Infrared Motion Sensor

On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS041



### Infrared Motion Sensor On-Wall Mounting

- Detection Angle 160°
- IP20 Protection
- Fixed Wall Mounting

**Item No.**

X-IMS050



### Infrared Motion Sensor Power Socket Mounting

- Detection Angle 120°
- IP20 Protection
- Safety Plug Adapter

**Item No.**

X-IMS060



### Infrared Motion Sensor In-Ceiling Mounting

- Detection Angle 360°
- IP20 Protection
- In-Ceiling Integration

**Item No.**

X-IMS070



### Infrared Motion Sensor On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS080



### Infrared Motion Sensor On-Wall Mounting

- Detection Angle 180°
- IP44 Protection
- Rotatable

**Item No.**

X-IMS081



### Infrared Motion Sensor In-Ceiling Mounting

- Detection Angle 360°
- IP20 Protection
- In-Ceiling Integration

**Item No.**

X-IMS090

# Accessories Series

## Motion Sensors & Timers



○

### Thermostat socket

- 3600W

**Item No.**

X-TCS-001



○

### Thermostat socket With sensor

- 3600W

**Item No.**

X-TCS-002



○

### Water detector With internal sensor

- Battery operated
- 70dB

**Item No.**

X-WM10



○

### Digital Outlet timer With USB connection

- 2300W

**Item No.**

X-CDT-USB



○

### Mechanical Outlet Timer

- 3500W
- IP20

**Item No.**

X-MOT-10



○

### Dimmer Socket With control dial

**Item No.**

X-PSD001



### Infrared Motion Sensor

#### Installation

- Detection Angle 360°
- IP20 Protection
- Flexible Installation

**Item No.**

X-IMS100



### Infrared Motion Sensor

#### In-Ceiling Mounting

- Detection Angle 360°
- IP20 Protection
- In-Ceiling Integration

**Item No.**

X-IMS110



### Digital Power Outlet Timer

#### DIN Rail Mounting

- 10 Programs
- IP20 Protection
- Max. 230V / 3500W

**Item No.**

S-DOTH10



### Remote Power Socket

Indoor Power Socket Installation

- Safety Plug, Child-Proof. IP20
- 30 m Range
- Max. 230V / 10A / 2300W

Item No.	Quantity
S-RCS001	1 pc



### Remote Power Socket Set

Indoor Power Socket Installation

- Safety Plug, Child-Proof. IP20
- 30 m Range
- Max. 230V / 10A / 2300W

Item No.	Quantity
S-RCS101	1 pc RC, 1 pc Socket
S-RCS102	1 pc RC, 2 pcs Socket
S-RCS103	1 pc RC, 3 pcs Socket
S-RCS104	1 pc RC, 4 pcs Socket



### Remote Power Socket

Indoor Power Socket Installation

- Safety Plug, Child-Proof. IP20
- 30 m Range
- Max. 230V / 10A / 2300W

Item No.	Quantity
S-RCS011	1 pc



### Remote Power Socket Set

Indoor Power Socket Installation

- Safety Plug, Child-Proof. IP20
- 30 m Range
- Max. 230V / 10A / 2300W

Item No.	Quantity
S-RCS111	1 pc RC, 1 pc Socket
S-RCS112	1 pc RC, 2 pcs Socket
S-RCS113	1 pc RC, 3 pcs Socket
S-RCS114	1 pc RC, 4 pcs Socket



### Remote Power Socket Set

#### Indoor Power Socket Installation

- Safety Plug, IP20
- 30 m Range
- Max. 230V / 10A / 2300W

Item No.	Quantity
S-RCS201	1 pc RC, 1 pc Socket
S-RCS202	1 pc RC, 2 pcs Socket
S-RCS203	1 pc RC, 3 pcs Socket
S-RCS204	1 pc RC, 4 pcs Socket



### Remote Power Socket Set

#### Outdoor Power Socket Installation

- Safety Plug, IP44
- 30 m Range
- Max. 230V / 5A / 1100W


Item No.	Quantity
S-RCS301	1 pc RC, 1 pc Socket
S-RCS302	1 pc RC, 2 pcs Socket
S-RCS303	1 pc RC, 3 pcs Socket
S-RCS304	1 pc RC, 4 pcs Socket



### Outdoor Remote Control Set

- Safety Plug, IP44
- 30 m Range
- Max. 230V / 10A / 2300W


Item No.	Quantity
S-RCS311	1 pc RC, 1 pc Transmitter
S-RCS312	1 pc RC, 2 pc Transmitter
S-RCS313	1 pc RC, 3 pc Transmitter
S-RCS314	1 pc RC, 4 pc Transmitter



### Magnet Fastening Kit

- Diameter 70 mm
- 3M Adherent
- 3 Magnets

Item No.	Quantity
X-MH070	1 pc



**3x**



### Magnet Fastening Kit

- Diameter 70 mm
- 3M Adherent
- Set of 3pcs. each 3 Magnets

Item No.	Quantity
X-MH070-03	3 pcs



**5x**



### Magnet Fastening Kit

- Diameter 70 mm
- 3M Adherent
- Set of 5pcs. each 3 Magnets

Item No.	Quantity
X-MH070-05	5 pcs



**10x**



### Magnet Fastening Kit

- Diameter 70 mm
- 3M Adherent
- Set of 10pcs. each 3 Magnets

Item No.	Quantity
X-MH070-10	10 pcs



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging
- Input: 100-240V=50/60Hz 0.5A
- Output Power: 20W Max
- USB-C: 20W (5V=3A, 9V=2.22A, 12V=1.67A)

Item No.	Power
X-PS100	20 W



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging
- Input: 100-240V=50/60Hz 0.5A
- Output Power: 20W Max
- USB-C: 20W (5V=3A, 9V=2.22A, 12V=1.67A)

Item No.	Power
X-PS101	20 W



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging
- Input: 100-240V=50/60Hz 0.5A
- Output Power: 30W Max
- USB-C: 30W (5V=3A, 9V=3.0A, 12V=2.5A, 15V2A, 20V=1.5A)

Item No.	Power
X-PS105	30 W



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging
- Input: 100-240V=50/60Hz 0.5A
- Output Power: 30W Max
- USB-C: 30W (5V=3A, 9V=3.0A, 12V=2.5A, 15V2A, 20V=1.5A)

Item No.	Power
X-PS106	30 W



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V=50/60Hz 0.85A
- Output Power: 33W Max
- USB-C: 33W (5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A)

Item No.	Power
X-PS110	33 W



### USB-C Charger

1x USB-C

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V=50/60Hz 0.85A
- Output Power: 33W Max
- USB-C: 33W (5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A)

Item No.	Power
X-PS111	33 W



●

### USB-C & USB-A Charger

1x USB-C & 1x USB-A

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V=50/60Hz 0.85A
- Output Power: 33W Max
- USB-C: 33W (5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A)
- USB-A: 30W (5V=3A, 9V=3A, 12V=2.5A, 20V=1.5A)
- USB-C + USB-A: 20W (5V=4A)

Item No.	Power
X-PS120	33 W



○

### USB-C & USB-A Charger

1x USB-C & 1x USB-A

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V=50/60Hz 0.85A
- Output Power: 33W Max
- USB-C: 33W (5V=3A, 9V=3A, 12V=2.5A, 15V=2A, 20V=1.5A)
- USB-A: 30W (5V=3A, 9V=3A, 12V=2.5A, 20V=1.5A)
- USB-C + USB-A: 20W (5V=4A)

Item No.	Power
X-PS121	33 W



### USB-C & USB-A Charger

2x USB-C & 1x USB-A

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V $\approx$ 50/60Hz 0.85A
- Output Power: 65W Max
- USB-C:
  - 65W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 3.25A)
- USB-A:
  - 27W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 1.5A)
- USB-C1 + USB-C2:
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 20W max (5V $\approx$ 3A, 9V $\approx$ 2.22A, 12V $\approx$ 1.67A)
- USB-C1 + USB-A:
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 18W max (5V $\approx$ 3A, 9V $\approx$ 2A, 12V $\approx$ 1.5A)
- USB-C2 + USB-A:
  - 24W max (5V $\approx$ 4.8A)
- USB-C1 + (USB-C2 + USB-A):
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 15W max (5V $\approx$ 3A)

Item No.	Power
X-PS130	65 W



### USB-C & USB-A Charger

2x USB-C & 1x USB-A

- Supports Power Delivery Charging & Quick Charge
- Input: 100-240V $\approx$ 50/60Hz 0.85A
- Output Power: 65W Max
- USB-C:
  - 65W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 3.25A)
- USB-A:
  - 27W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 1.5A)
- USB-C1 + USB-C2:
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 20W max (5V $\approx$ 3A, 9V $\approx$ 2.22A, 12V $\approx$ 1.67A)
- USB-C1 + USB-A:
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 18W max (5V $\approx$ 3A, 9V $\approx$ 2A, 12V $\approx$ 1.5A)
- USB-C2 + USB-A:
  - 24W max (5V $\approx$ 4.8A)
- USB-C1 + (USB-C2 + USB-A):
  - 45W max (5V $\approx$ 3A, 9V $\approx$ 3A, 12V $\approx$ 3A, 15V $\approx$ 3A, 20V $\approx$ 2.25A)
  - 15W max (5V $\approx$ 3A)

Item No.	Power
X-PS131	65 W



## PureLink GmbH

Von-Liebig-Str. 10  
D - 48432 Rheine  
Germany

+49 (0)5971 800 299-0

[www.PureLink.de](http://www.PureLink.de)

All information without responsibility for errors  
in photography and typography. Specifications  
are subject to change without notice.

© 2024 PureLink GmbH®. All rights reserved.  
All mentioned trademarks (product names, logos)  
and brand names are the property of  
their respective owners.  
HDMI® is a registered trademark of HDMI  
Licensing Administrator, Inc.